



Expert information

## **durimplant**

### **Manufacturer**

**lege artis** Pharma GmbH + Co. KG  
P. O. Box 60, D-72132 Dettenhausen  
Breitwasenring 1, D-72135 Dettenhausen  
Telephone +49 (0) 71 57 / 56 45 - 0  
Fax +49 (0) 71 57 / 56 45 50  
E-Mail: info@legeartis.de

### **Name of product**

*durimplant*

Implant care gel

Prolonged protection of dental implants with effective gingival care

### **Ingredients**

GELATUM BASALIS HYDROPHOBICUM, HYDROXYPROPYL METHYLCELLULOSE, SILICA (Nano), ALLANTOIN, SALVIA LAVANDULIFOLIA, MENTHA PIPERITA, THYMOL, AQUA, CHLORHEXIDINE DIGLUCONATE, CHLORHEXIDINE DIACETATE, ASPARTAME, LINALOOL, LIMONENE  
Contains a source of phenylalanine.

### **Uses and Properties**

*durimplant* is used to care for the gums and oral mucosa and to prevent inflammation in the vicinity of dental implants (e.g. peri-implantitis).

The viscous, stable gel adheres very well to the gingiva and oral mucosa. After being applied to the tissue - for example, around new dental implants - it forms a thin, soft protective layer containing sage and allantoin. *durimplant* is not easily washed off the tissue as it is water-repellent. It cares for gingiva and oral mucosa and prevents inflammation.

*durimplant* can also be used for all other forms of mild inflammation, irritation and pressure points in the mouth and throat for active care of the gums and oral mucosa in order to aid wound healing and tissue regeneration. As a long lasting film it serves additionally for protecting against chemical and mechanical irritants.

### **Application**

#### In the dental practice:

Apply a thin layer of the required quantity of the viscous gel to the slightly moist gingiva around an implant or to the area to be treated, using a suitable instrument. The gel can also be rubbed more deeply into the gingiva / oral mucosa, if necessary.

#### At home and when travelling:

Place a pea-sized quantity of gel onto a clean finger-tip, a cotton bud or some other suitable instrument, then apply to the moist gum area around the implant or to the area to be treated. The surface can then be smoothed and shaped gently with a finger moistened with saliva or the gel can be rubbed into the gums / oral mucosa.

For gingival care it should be applied once a week until once a day after the last cleaning of the teeth. As required *durimplant* can be applied several times a day, in consultation with your dental practice

### **Notice**

Treatment is not recommended in the case of known allergies to one of the ingredients.

### **Shelf life**

The product should not be used beyond the date of minimum durability.

### **Dosage form and pack size**

10 ml gel per tube

PZN\* 04999590

### **Date of revision**

February 2020

Further information available at [www.legeartis.de](http://www.legeartis.de)